

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	29	("0765846" "4455031" "5183133" "5435404" "5445233" "5848658" "5853059" "5887935" "5899475" "5904214" "5909887" "5944131" "5964473").PN. OR ("2003/0025258" "3107951" "6179076" "6422634").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/02 04:58
S1	1179	280/124.116.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:32
S2	332	S1 and bush\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:32
S3	221	S2 and (resilient rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:53
S4	3849	280/124.11,124.116,124.128,124.13,124.153,124.157,86.5,683,124.177.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:56
S6	2226	280/676-687.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:56
S7	5662	S4 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 19:57
S8	1416	S7 and bush\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 20:11
S9	845	S7 and bush\$4 with (rubber resilient pliable compliant flexible elastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 20:12

EAST Search History

S10	147	S9 and (noncircular nonsymmetrical oval egg elipse eliptical elliptical parabola parabolic eccentric ecentric cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:14
S11	122	S9 and (noncircular nonsymmetrical oval egg elipse eliptical elliptical parabola parabolic eccentric ecentric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/09 20:14
S12	0	("2004/0183271").URPN.	USPAT	OR	ON	2006/05/10 08:39
S13	23	("2165702" "2659619" "2742302" "4615539").PN. OR ("5413374").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/10 17:18
S14	6	("3856325" "4575114" "4840395").PN. OR ("5275429").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/10 17:24
S15	20	("3332701").URPN.	USPAT	OR	ON	2006/05/10 17:53
S24	1	"238853".ap.	USPAT	OR	ON	2006/05/11 10:51
S31	1	"4415179".pn.	USPAT	OR	ON	2006/05/11 11:12
S32	1	"5203585".pn.	USPAT	OR	ON	2006/05/11 11:12
S33	27	("3140880" "3433493" "3547215" "3547464" "3709517" "3773347" "3782753").PN. OR ("4415179").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/11 11:19
S34	34	("1643970" "2367817" "2865652" "2929617" "3547215" "3630541" "4293145" "4310171" "4497504" "4615539" "4693486" "4858949" "5013063" "5039124" "5112078" "5116075" "5288100" "5328159" "5366237" "5639110" "5690353" "5746441" "5882031").PN. OR ("6241266").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/11 14:28
S35	1	"6240681".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/11 14:29
S36	3849	280/124.11,124.116,124.128,124.13,124.153,124.157,86.5,683,124.177.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:14

EAST Search History

S37	2226	280/676-687.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:14
S38	5662	S36 S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:55
S39	845	S38 and bush\$4 with (rubber resilient pliable compliant flexible elastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:14
S40	147	S39 and (noncircular nonsymmetrical oval egg elipse elliptical elliptical parabola parabolic eccentric ecentric cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:14
S41	19	S40 and cast and shock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:21
S42	12	S40 and cast and (damp\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:22
S43	602	S38 and air adj1 (spring shock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:57
S44	54	S38 and air adj1 (spring shock) and cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/11 16:57
S45	3849	280/124.11,124.116,124.128,124.13,124.153,124.157,86.5,683,124.177.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:15
S46	0	S45 and bush\$2 adj (removal tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:16

EAST Search History

S47	427	S45 and bush\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:16
S48	1008	S45 and (bush bushes bushing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:17
S49	945	S45 and bush\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:17
S50	269	S48 and (remov\$3 tool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:20
S51	1008	S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:21
S52	31	S48 and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:32
S53	14	bushing adj removal adj tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:34
S54	370	bushing adj tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 08:34
S55	228	bushing near teeth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/15 09:41
S56	20	("1511910" "1598767" "2236674" "3832076" "4306466" "4616673" "4624596" "4662775" "4819961").PN. OR ("5002422"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:18

EAST Search History

S58	689	384/428,439,295.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:19
S59	0	S58 with (knurl\$3 splin\$3 corrgat\$3 rough\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:20
S60	52	S58 and (knurl\$3 splin\$3 corrgat\$3 rough\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:20
S61	74	S58 and (knurl\$3 splin\$3 corrgat\$3 rough\$3 teeth)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:41
S62	0	"384".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:41
S63	8503	"384/1-99".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:42
S64	23083	"384/1-199".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:42
S65	43879	"384/1-399".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:55
S66	1261	S65 and (splin\$3 corrugat\$3 knurl\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:56
S67	3327	S65 and (splin\$3 corrugat\$3 knurl\$4 rib\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:57
S68	2977	S67 and (bush\$3 bearing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 10:58
S69	4	bushing near antirotation	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 11:00
S70	112	bushing near (knurl knurled knurling)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 11:01
S71	6	("1831628" "4114472").PN. OR ("4603997").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 11:30
S72	19	("2837942" "3026749" "3349649" "3768918").PN. OR ("4269550").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 11:38

EAST Search History

S73	19	("2837942" "3026749" "3349649" "3768918").PN. OR ("4269550").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 11:48
S74	366	384/428.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 16:08
S75	247	384/295.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 16:09
S76	29	("1376043" "1416988" "1510804" "2380715" "2382270" "2439971" "3497278" "3561830" "3826547" "3971606" "3993371" "4607964" "4725151" "4735982" "4773771" "5033871" "5372430" "5518318" "5932049" "5971617" "6238093").PN. OR ("6648510").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 16:16
S77	21	("0648204" "2635015" "3317254" "4472150" "4585359" "4710142" "4726267" "4734009" "4764035" "4989998" "5007235" "5288153" "5520466" "5529399" "Re32764").PN. OR ("5836698").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 16:26
S78	53	bushing near oval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 17:39
S79	920	bushing near (elliptical ellipse elliptic elongate elongated oblong ovate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 17:40
S80	915	S79 not S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 17:40
S81	39	S80 and suspension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 22:19

EAST Search History

S82	138	384/447.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 22:36
S83	152	384/441.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/06 22:36
S84	27803	bushing same (rough roughed irregular knurl knurled spline splined rib ribbed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 01:00
S85	7845	bushing with (rough roughed irregular knurl knurled spline splined rib ribbed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 01:01
S86	94	bushing with (rough roughed irregular knurl knurled spline splined rib ribbed) near (rotat\$3 pivot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 15:30
S87	333	280/124.128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 17:09
S88	0	supension and arm with (i adj beam ibeam i-beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 17:10
S89	2	supension and (i adj beam ibeam i-beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 17:11
S90	225	suspension and arm with (i adj beam ibeam i-beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/11/07 17:11
S91	18	("4162090" "4415179" "5037126" "5375871" "5536036").PN. OR ("2004/0075234" "2005/0258613" "2006/0163834" "5954351"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/07 17:35

EAST Search History

S92	165494	"280"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:04
S93	91221	"180"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:04
S94	82567	"384"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:05
S95	323262	S92 S93 S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:05
S96	14289	S95 and bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:05
S97	11	S95 and bushing near (rough\$3 knurl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:27
S98	1	("1679941").URPN.	USPAT	OR	ON	2007/04/02 03:25
S99	54	S95 and bushing near (rib\$4 splin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/02 03:27